



# MyStandards

*Quick guide through  
MyStandards*



# Get ready with *MyStandards*

**1**

GET STARTED  
WITH  
MYSTANDARDS

**2**

CONSULT  
USAGE  
GUIDELINES  
(UG)

**3**

TEST WITH THE  
READINESS  
PORTAL

# Get started with MyStandards

1

REGISTER  
SWIFT.COM ACCOUNT

2

ACCESS AND EXPLORE  
MYSTANDARDS

---

## USEFUL LINKS:

### Swift.com user:

[How to become a swift.com user.](#)

[Registration User Guide](#), provides detailed information and instructions about swift.com profiles.

[Security guide](#), for information and guidelines about security on swift.com, please consult the swift.com.

[Registration form](#)

Get started with MyStandards

# Register swift.com account

## Do you have a swift.com account?

If **yes**, proceed to Log into MyStandards or access directly MyStandards ([link](#));

If **not**, please check out the next few slides for more details or proceed directly to the registration form [here](#).

---

## USEFUL LINKS:

### Swift.com user:

[How to become a swift.com user.](#)

[Registration User Guide](#), provides detailed information and instructions about swift.com profiles.

[Security guide](#), for information and guidelines about security on swift.com, please consult the swift.com.

[Registration form](#)

### Note:

Registering for www.swift.com account is free of charge.

If your institution is part of the SWIFT community, you can link your user account to an 8-character BIC, partner identifier code (PIC) or customer number, which may allow access to additional services

For further details, check out the Registration User Guide.

Get started with MyStandards

# Register swift.com account *(cont.)*

1

CREATE NEW  
ACCOUNT

2

CONFIRM  
REGISTRATION

3

SET 2-STEP  
VERIFICATION

---

## USEFUL LINKS:

**Swift.com user:**

[How to become a swift.com user.](#)

[Registration User Guide](#), provides detailed information and instructions about swift.com profiles.

[Security guide](#), for information and guidelines about security on swift.com, please consult the swift.com.

[Registration form](#)


## Get started with MyStandards

# Register swift.com account (cont.)


# 1

## CREATE NEW ACCOUNT

Go to [www.swift.com](http://www.swift.com)  
At the tab 'MySWIFT'  
Go to 'Log into MySWIFT'



Under 'create account' you will find the registration form



Fill-in your details and submit

The screenshot shows the 'USER REGISTRATION' form. It includes sections for 'Personal info' (Title, First name, Last name, Telephone, Mobile number), 'Set your name and password' (E-mail, Password, Confirm Password), and 'Your communication preferences' (radio buttons for 'Yes, please, I would like to receive information that is relevant to me' and 'No, thank you, I prefer to update my communication preferences later'). There is also a 'Challenge' section with a CAPTCHA image and a 'New challenge' link. The form ends with 'Cancel' and 'Submit' buttons.

# Register swift.com account (cont.)

2

CONFIRM  
REGISTRATION

Email to confirm the  
registration request

**Confirm Registration**

Account creation window

**Confirm Account Creation**

Registration  
confirmation email

3

SET 2-STEP  
VERIFICATION

Go to [www.swift.com](http://www.swift.com)

At the tab **MySWIFT**

**Log into MySWIFT**

Enable 2-step  
verification page  
appears

**Set up 2-step  
verification**

Email to confirm  
configuration  
request

Email with 2-step  
verification code

**Enter the verification  
code and click verify  
code**

## Get started with MyStandards

# Access and explore MyStandards

## Log into MyStandards

### TO ACCESS MYSTANDARDS

Go to:

[www.swift.com](http://www.swift.com), MySWIFT, and Log into MySWIFT,  
Under **Products** you will be able to access **MyStandards**

or

[www.swift.com](http://www.swift.com) , directly through the MyStandards product page ([link](#)).

---

### USEFUL LINKS:

#### MyStandards:

[MyStandards product page](#) on [www.swift.com](http://www.swift.com)

Detailed information on the product portfolio, overview of features, licensing options, ect.

[MyStandards platform](#) to browse to content and explore product features and functionalities (depending on access rights of your institution).

[MyStandards User Guide](#)

[MyStandards Service Description](#)

#### Note:

By accessing MyStandards, you have access to content publicly made available by the various publishing organizations. Other content may be subject to access requested through MyStandards to the publishing organization.

To make use of the advanced features of MyStandards, such as publication, comparison of usage guidelines owned by different organizations, or testing, you may be required MyStandards license.

For list of available features and license, please consult the MyStandards Product page on Licensing Options, link [here](#).



# Access and explore MyStandards *(cont.)*

## 1 PUBLIC CONTENT

Content available to all MyStandards users, free and licensed users.

## 2 PRIVATE CONTENT

Content available to the users of the publishing organization and may be subject to access request to the publishing organization.

---

### USEFUL LINKS:

#### MyStandards:

[MyStandards product page](#) on [www.swift.com](http://www.swift.com)

Detailed information on the product portfolio, overview of features, licensing options, ect.

[MyStandards platform](#) to browse to content and explore product features and functionalities (depending on access rights of your institution).

[MyStandards User Guide](#)

[MyStandards Service Description](#)

## Get started with MyStandards



# Access and explore MyStandards (cont.)

1

PUBLIC  
CONTENT

Content available to all MyStandards users, free and licensed users, such as Standards Releases MT and ISO 20022, CBPR+ specifications, specifications by various Market Practice, ect.

Explore through the top bar of the window:



## Get started with MyStandards

# Access and explore MyStandards (cont.)

Content available to the users of the publishing organization and may be subject to access request to the publishing organization.

The screenshot shows the MyStandards website interface. The top navigation bar includes the MyStandards logo, a search bar, and links for Standards Releases, CBPR+, and Groups. The main content area is titled "Groups" and displays a grid of 30 institution cards. A search box labeled "Search group" is highlighted with a green circle and the number "2". A callout box points to the search box with the text: "In the Search for groups box, type the name of the institution you want to join, i.e. BNY".

Group Name	MPG	Logo
ABI Lab IT IF	Yes	ABI Lab
ABN AMRO Digital Banking	No	ABN AMRO
ABSA Bank	No	absa
AFAC	Yes	AFAC
AFME - Association for Financial Markets in Europe	Yes	afme
Allfunds Bank	No	allfunds
Almus	Yes	Almus
AMI-SeCo Harmonisation Group	Yes	AMI-SeCo
ANZ Global Group	No	ANZ
ASEAN HVP Market Practice	Yes	ASEAN HVP
ASX	No	ASX
AusPayNet	No	AusPayNet
Bangko Sentral ng Pilipinas	No	BSP
Bank of America Merrill Lynch	No	Bank of America Merrill Lynch
Bank of England	No	Bank of England
BankservAfrica	No	BankservAfrica
Banque de France	No	Banque de France
Barclays	No	BARCLAYS
BBVA	No	BBVA
BCEE Luxembourg	No	BCEE
BEA CHINA	No	BEA CHINA
BNP Paribas	No	BNP PARIBAS
BNP Paribas Cash Management	No	BNP PARIBAS
BNP Paribas Securities Services	No	BNP PARIBAS
BNY-Mellon	No	BNY MELLON
BSK	Yes	BSK
BTG Pactual	No	BTGPactual

## Get started with MyStandards

# Access and explore MyStandards (cont.)

# 2

PRIVATE  
CONTENT

Content available to the users of the publishing organization and may be subject to access request to the publishing organization.

The screenshot illustrates the process of finding and accessing a group in the MyStandards application. It is divided into two browser windows. The top window shows the 'Groups' search page with a search bar containing 'BNY' (circled with a green circle and labeled '3'). Below the search bar, a result for 'BNY-Mellon' is highlighted with a green circle and labeled '4'. A text box explains: 'A result with the name of the institution come up and click on it'. The bottom window shows the 'BNY-Mellon' group page (URL: https://www2.swift.com/mystandards/#/group/BNY-Mellon). A text box labeled '5' states: 'By clicking on the name, you get view on the community or group the institution has:'. The page content includes sections for 'Usage Guidelines', 'Open Communities', 'Portals', 'Releases', and 'News'. In the 'Open Communities' section, a link for 'BNYM\_Treasury Customer for training purposes' is highlighted with a green circle and labeled '6'. A text box explains: 'By clicking on the group name, at the next screen you have the Request access possibility'. The 'Releases' section shows a list of releases, with 'BNY MELLON BNY-Mellon Treasury Services' highlighted with a green circle.



## Get started with MyStandards

# Access and explore MyStandards (cont.)

# 2

PRIVATE  
CONTENT

Once the request has been sent to the publishing institution, the 'request access' button will be in status 'pending' until the administrator of the group accepts it. If you have been granted access, the 'request access' button will change into 'member'.



## Get started with MyStandards

# 2

## CONSULT USAGE GUIDELINES (UG)

### USEFUL LINKS:

#### MyStandards:

[MyStandards product page](#) on [www.swift.com](http://www.swift.com)

Detailed information on the product portfolio, overview of features, licensing options, ect.

[MyStandards platform](#) to browse to content and explore product features and functionalities (depending on access rights of your institution).

[MyStandards User Guide](#)

[MyStandards Service Description](#)

#### Note:

MyStandards allows you to easily consult content at any time, at your own pace.

The usage guideline of the institution you are trying to access is created and maintained on MyStandards by BNY Mellon as the publishing organization.

For any comments or questions on the content, you may reach out directly via your BNY Mellon contact or via the contact form available on MyStandards.

For any question related to access to the MyStandards tool or the MyStandards product offering, you may reach out to [mystandards@swift.com](mailto:mystandards@swift.com).

## Get started with MyStandards

# Consult usage guidelines (UG)

By obtaining access or becoming a member of the group (sub-group) you are provided access to the usage guideline(s) made available by the publisher.

**1** Click on the UG of interest to get to the next screen

Usage Guidelines

BNY Mellon\_Multi-Currency Implementation Guide\_February 2022

Open Communities

BNY Mellon Treasury Services - For test purposes Test Member

Releases

This Group has not documented any Release on MyStandards yet.

Sub-groups

This Group has not created

**2** Click on specific UG to get the next screen

Usage Guidelines

BNY Mellon\_pacs.008.001.08\_FIToFICustomerCreditTransfer

## Get started with MyStandards

# Consult usage guidelines (UG) (cont.)

**Compare** is a feature available to licensed users that allows to compare UGs of the same/ different publisher

**Export** allows to download the UG as a pdf, excel or XML schema

**My selection** works like a shopping basket in e-commerce applications, where a UG can be added

Visual representation of the elements of the message

Options to explore

Use the arrows to check for more detailed elements

Description of the selected element on the left hand side

The screenshot shows the MyStandards web application interface. The top navigation bar includes the MyStandards logo, a search bar, and links for Standards Releases, CBPR+, and Groups. The main content area displays details for a specific message: "BNY Mellon\_pacs.008.001.08\_FIToFICustomerCreditTransfer". Below this, there are tabs for Content, Result View, Sample Messages, Impact Analysis, and Comments. A table lists the message elements, with "FI To FI Customer Credit Transfer V08 (pacs.008.001.08)" selected. The right-hand side shows the usage guidelines for this message, including rules and documentation. Callout boxes provide additional context for various UI elements.

Name	Min	Max	Restrictions
Full Message	1	1	
Business Application Header V02 (head.001.001.02) <b>Mandatory</b>	1	1	
Document	1	1	
<b>FI To FI Customer Credit Transfer V08 (pacs.008.001.08)</b>			
Group Header	1	1	
Message Identification	1	1	ABC 123
Creation Date Time	1	1	ABC 123
Batch Booking	0	1	
Number Of Transactions	1	1	
Control Sum	0	1	
Total Interbank Settlement Amount	0	1	
Interbank Settlement Date	0	1	
Settlement Information	1	1	

**Rules**

- CBPR\_Agent\_Name\_Postal\_Address\_FormaRule**  
Name and Address must always be present together.  
More information
- CBPR\_Instruction\_for\_Creditor\_Agent1\_FormaRule**  
The code "HOLD" is not allowed if the code "CHQB" is present.  
More information
- CBPR\_Instruction\_for\_Creditor\_Agent2\_FormaRule**  
The code "TELB" is not allowed if the code "PHOB" is present.  
More information

**Documentation**

**Scope**  
The FinancialInstitutionToFinancialInstitutionCustomerCreditTransfer message is sent by the debtor agent to the creditor agent, directly or through other agents and/or a payment clearing and settlement system. It is used to move funds from a debtor account to a creditor.

**Usage**  
The FIToFICustomerCreditTransfer message is exchanged between agents and can contain one or more customer credit transfer instructions.  
The FIToFICustomerCreditTransfer message does not allow for grouping: a



# Consult usage guidelines (UG) (cont.)

The icon provides the Legend

Name	Min	Max	Restrictions
Full Message	1	1	⚠️ ⚠️
Business Application Header V02 (head.001.001.02) <span style="background-color: green; color: white; padding: 2px;">Mandatory</span>	1	1	⚠️
Document	1	1	⚠️
FI To FI Customer Credit Transfer V08 (pacs.008.001.08)			⚠️ ⚠️
Group Header	1	1	⚠️
Message Identification	1	1	ABC 123 ⚠️
Creation Date Time	1	1	ABC 123
Batch Booking	0	1	🚫
Number Of Transactions	1	1	⚠️
Control Sum	0	1	🚫
Total Interbank Settlement Amount	0	1	🚫
Interbank Settlement Date	0	1	🚫
Information	1	1	⚠️

**Legend:**

- ⚠️ = Changes below
- 🚫 = Element removed
- ➕ = A parent of this element has been added
- ➕ = This element is added
- 🗑️ = A parent of this element has been removed
- 🗑️ = A parent of this element has been ignored
- ABC 123 = Type changed
- ⚠️ = Element changed
- [!] = Multiplicity changed

**Message Details:**

- Multiplicity:** Mandatory, Non repetitive [1..1]
- Comment:** BNY Mellon: In case no Message Identification can be generated please take a copy of the Instruction Identification
- Type:**
  - CBPR\_RestrictedFINXMax35Text (based on string)
    - minLength: 1
    - maxLength: 35
    - pattern: [0-9a-zA-Z\-\?\:\(\)\.,\!+ ]+
  - Max35Text (based on string)
    - minLength: 1
    - maxLength: 35
- Documentation:** Point to point reference, as assigned by the instructing party, and sent to the next party in the chain to unambiguously identify the message. Usage: The instructing party has to make sure that MessageIdentification is unique per instructed party for

## Get started with MyStandards

# 3

## TEST WITH THE READINESS PORTAL

### USEFUL LINKS:

#### MyStandards:

[MyStandards product page](#) on [www.swift.com](http://www.swift.com)

Detailed information on the product portfolio, overview of features, licensing options, ect.

[MyStandards platform](#) to browse to content and explore product features and functionalities (depending on access rights of your institution).

[MyStandards User Guide](#)

[MyStandards Readiness Portal User Guide](#)

[MyStandards Service Description](#)

#### Note:

A Readiness Portal created by the publishing institution (BNY Mellon) allows testing of own sample message or bulk of messages against the institution's UG. It is intended to validate the generic syntax as well any restrictions the institution has set. In case of discrepancies, error messages or warnings are displayed and allows the user to read what the expected value is, with link to documentation to the UG, and it allows in an agile manner to correct the value and re-do the testing, until fully aligned sample message is created and downloaded.

The testing in the Readiness Portal, however, not intended to replace any additional testing required by the institution or replicate the institution's production environment. For more information, reach out to your BNY contact.

## Get started with MyStandards

# Test with the MyStandards Readiness Portal

Once you login with your account and access MyStandards, on the home page you will see the **Usage Guidelines** (UG) the publishing institution has granted you access to, and under **Portals**, the Readiness Portal (RP) created for specific UG against which you can test own sample message.

The screenshot shows the MyStandards web application interface. The browser address bar displays <https://www2.swift.com/mystandards/#/>. The page header includes the MyStandards logo, a search bar, and navigation links for Standards Releases, CBPR+, and Groups. The main content area is divided into two columns: Usage Guidelines and Portals. The Usage Guidelines column lists a specific guideline: BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer. The Portals column lists a specific portal: BNY Mellon Readiness Portal. A yellow oval highlights both the Usage Guidelines and Portals sections. Two callout boxes provide instructions: one pointing to the Usage Guidelines entry and another pointing to the BNY Mellon Readiness Portal entry. The News section on the right contains two articles: 'Online edition of Formal Rules is available' (dated 28-03-2019) and 'New User Interface for Readiness Portal available since 27th November 2018' (dated 17-12-2018).

Click on the specific UG name to view the details of the message

Click on the institution's name under Portals to proceed to testing with own message

## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

Link to the MyStandards Readiness Portal User Guide

The screenshot displays the MyStandards Readiness Portal interface. At the top, the browser address bar shows the URL: [https://www2.swift.com/mystandards/#/portal/\\_2qhuUJoIEey2VrG6ww8dmw](https://www2.swift.com/mystandards/#/portal/_2qhuUJoIEey2VrG6ww8dmw). The page header includes the BNY Mellon logo and the text "BNY Mellon Readiness Portal". A navigation bar contains a "PUBLISHED" status indicator, the "MyStandards" label, and several icons including a home button, a refresh button, a user profile icon, a download icon, and a help icon (a question mark inside a circle). A search bar with the placeholder text "Search among 2 guidelines" and a "Group by: Direction" dropdown menu is located below the header. The main content area is divided into two sections, both titled "To BNY-Mellon Treasury Services". Each section displays a card for the guideline "BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer". The cards show "0 Total Completed Tests" and "0 Total Valid Tests", both with "0 in Current Version" below them. The format is listed as "MX". Below the statistics, there are buttons for "Documentation", "Download Samples", "History", and "Test". Two yellow callout boxes with the text "Access to the UG" point to the "Documentation" button in each card. A third yellow callout box with the same text points to the help icon in the top right navigation bar.

## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

The screenshot displays the MyStandards Readiness Portal interface. The page title is "BNY Mellon Readiness Portal" and the status is "PUBLISHED". The main content area is divided into two sections: "To BNY-Mellon Treasury Services" and "From BNY-Mellon Treasury Services". Each section contains a card for "BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer". The cards show "0 Total Completed Tests" and "0 Total Valid Tests" (both "0 in Current Version") and "Format: MX". A "Test" button is highlighted with a yellow circle and a callout box labeled "1" that says "To test a sample message, click on the Test button". A second callout box labeled "2" points to a pop-up window that appears when the "Test" button is clicked. The pop-up window has a close button (X) in the top right corner and contains three options: "Upload a Message", "OR", "Upload a ZIP", and "OR". Below these options is a text input field with the placeholder text "Paste your message here...".

## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

Once a message is uploaded, the following screen appears. If the sample message is inline with the UG, **Valid message** note appears

The screenshot displays the BNY Mellon Readiness Portal interface. At the top, the browser address bar shows the URL: `https://www2.swift.com/mystandards/#/portal/_2qhuUJolEey2VrG6vw8dmw/test/_-KcsUJ4VEeyYLe38ERvNNQ`. The portal header includes the BNY Mellon logo, the text "BNY Mellon Readiness Portal", a "PUBLISHED" status indicator, and navigation icons for "MyStandards", home, refresh, user profile, and download.

The main content area shows a test result for the message "BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer". A green "Valid" badge is present, along with the date and time "07-03-2022 12:56". A "Summary" tab is active, displaying a green "Valid message" note. To the right, a table provides details:

Usage Guideline	BNY Mellon-pacs.008.001.08_FIToFICustomerCreditTransfer
Format	MX
Source	CBPR c.29.1.1.pacs.008-AtoB_20210630.xml
Test Date	07 Mar 2022 12:56 UTC

Below the summary, there are buttons for "Test", "Upload", and "Download Message". The bottom section of the screen shows the XML message details, with a "Message details pane" label. The XML content is as follows:

```
18 <FinInstnId>
19 <BICFI>RBOSGB2L</BICFI>
20 </FinInstnId>
21 </FIId>
22 </Fr>
23 <To>
24 <FIId>
25 <FinInstnId>
26 <BICFI>NDEAFIHH</BICFI>
27 </FinInstnId>
28 </FIId>
29 </To>
30 <BizMsgId>pacs8bizmsgidr01</BizMsgId>
31 <MsgDefId>pacs.008.001.08</MsgDefId>
32 <BizSvc>swift.cbprplus.02</BizSvc>
33 <CreDt>2021-02-17T08:30:00+01:00</CreDt>
34 </AppHdr>
35 <Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.008.001.08">
36 <FIToFICstmrCdtTrf>
37 <GrpHdr>
38 <MsgId>pacs8bizmsgidr01</MsgId>
39 <CreDTm>2021-02-17T08:30:00+01:00</CreDTm>
40 <NbOfTxs>1</NbOfTxs>
41 <StlmInf>
42 <StlmMtd>INDA</StlmMtd>
43 </StlmInf>
44 </GrpHdr>
```

## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

Once a message is uploaded, the following screen appears. If the sample message contains irregularities versus the UG, **errors and warnings** will be displayed in the upper half of the window, with the message details in the lower half.

The screenshot displays the BNY Mellon Readiness Portal interface. The top navigation bar includes the BNY Mellon logo, the portal name, and a 'PUBLISHED' status indicator. The main content area shows a message titled 'BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer' with a '1 error' notification. A yellow callout box with the number '1' points to the error notification, stating 'Click on the error displayed'. Below the notification, the 'Error Details' pane is visible, showing the message: 'An empty value is not valid. It must be one of the following values : INDA, INGA'. A yellow callout box with the number '3' points to a 'See documentation' link in the error details, stating 'For more details, the UG can be consulted, by clicking the See documentation'. The 'Error details pane' label is positioned to the right of this section. Below the error details, the 'Message details pane' is shown, displaying the XML message structure. A yellow callout box with the number '2' points to a specific XML element, stating 'The value can be corrected immediately as expected, i.e. type INDA or INGA in the field'. The 'Message details pane' label is positioned to the right of this section. A yellow callout box at the bottom right of the message details pane states: 'In case multiple errors appear, go through the step 1-5 to understand the errors found, and correct, as required.' The XML code in the message details pane includes elements like <BICFI>, <FinInstnId>, <To>, <BizMsgId>, <MsgDefId>, <BizSvc>, <CreDt>, <AppHdr>, <Document>, <FIToFICstmCdtTrf>, <GrpHdr>, <MsgId>, <CreDtTm>, <NbOfTxs>, <StlmMtd>, <StlmMtd>, <GrpHdr>, <CdtTrfInf>, <PmtId>, <InstrId>, <EndToEndId>, <UETR>, and <PmtId>.

1 Click on the error displayed

2 The value can be corrected immediately as expected, i.e. type INDA or INGA in the field

3 For more details, the UG can be consulted, by clicking the See documentation

Error details pane

Message details pane

In case multiple errors appear, go through the step 1-5 to understand the errors found, and correct, as required.

## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

Once a message is uploaded, the following screen appears. If the sample message contains irregularities versus the UG, **errors and warnings** will be displayed in the upper half of the window, with the message details in the lower half.

The screenshot displays the BNY Mellon Readiness Portal interface. At the top, the browser address bar shows the URL: [https://www2.swift.com/mystandards/#/portal/\\_2qhuUJolEey2VrG6w8dmw/test/\\_jJDYA4UEeyYLe38ERvNNQ/6/42](https://www2.swift.com/mystandards/#/portal/_2qhuUJolEey2VrG6w8dmw/test/_jJDYA4UEeyYLe38ERvNNQ/6/42). The page header includes the BNY Mellon logo, the text "BNY Mellon Readiness Portal", a "PUBLISHED" status indicator, and the "MyStandards" title. Below the header, a message header shows "1 error" and the message ID "BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer" with a timestamp of "07-03-2022 12:46".

The main content area is divided into two panes. The upper pane, labeled "Error details pane", contains an "Error Details" section with the message: "An empty value is not valid. It must be one of the following values : INDA, INGA". It also includes a "See documentation" link and an "Impacted lines" section listing "Line 42". A yellow callout box with the text "In case further clarification or information is required and have not been covered in the available documentation, or UG, you can send your detailed question by filling in the form" points to a circled "Escalate to support" button. The lower pane, labeled "Message details pane", shows the XML message content. A yellow callout box with the text "Click on Test to validate the sample again" points to a circled "Test" button. Another yellow callout box with the text "To download the valid message, click Download Message" points to a circled "Download Message" button. A circled "5" is placed near the "Download Message" button.

```
<BICFI>NDEAFIHH</BICFI>
</FinInstnId>
</FIId>
</To>
<BizMsgIdr>pacs8bizmsgidr01</BizMsgIdr>
<MsgDefIdr>pacs.008.001.08</MsgDefIdr>
<BizSvc>swift.cbprplus.02</BizSvc>
<CreDt>2021-02-17T08:30:00+01:00</CreDt>
</AppHdr>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.008.001.08">
  <FIToFICstmrCdtTrf>
    <GrpHdr>
      <MsgId>pacs8bizmsgidr01</MsgId>
      <CreDTm>2021-02-17T08:30:00+01:00</CreDTm>
      <NbOfTx>1</NbOfTx>
      <SttlmInf>
        <SttlmMtd></SttlmMtd>
      </SttlmInf>
    </GrpHdr>
    <TxInf>
      <Id>
        <InstrId>pacs8bizmsgidr01</InstrId>
        <EndToEndId>pacs008EndToEndId-001</EndToEndId>
        <UETr>8a562c67-ca16-48ba-b074-65581be6f001</UETr>
      </Id>
    </TxInf>
  </FIToFICstmrCdtTrf>
</Document>
</PmtId>
```



## Get started with MyStandards

# Test with the MyStandards Readiness Portal (cont.)

The Testing History, is available on the landing page of the Readiness Portal

The screenshot displays the BNY Mellon Readiness Portal interface. The browser address bar shows the URL <https://www2.swift.com/m...>. The page title is "BNY Mellon Readiness Portal". The navigation bar includes a "PUBLISHED" status, "MyStandards", and icons for home, refresh, user profile, download, and help. A search bar is present with the text "Search among 2 guidelines" and a "Group by: Direction" dropdown. The main content area is divided into two sections, both titled "To BNY-Mellon Treasury Services" and "From BNY-Mellon Treasury Services". Each section displays a card for the guideline "BNY Mellon-pacs.008.001.08\_FIToFICustomerCreditTransfer". The cards show "9 Total Completed Tests" (9 in Current Version) and "4 Total Valid Tests" (4 in Current Version). The format is listed as "MX". Each card has buttons for "Documentation", "Download Samples", "History", and "Test".

Click to access the landing page of the portal

Overview to own testing history against the UG

Number of tests performed vs valid

Overview to own testing history against the UG



#### **bnymellon.com**

BNY Mellon is the corporate brand of The Bank of New York Mellon Corporation and may also be used as a generic term to reference the Corporation as a whole or its various subsidiaries generally and may include The Bank of New York Mellon, 240 Greenwich Street, New York, New York 10286, a banking corporation organized and existing pursuant to the laws of the State of New York and operating in England through its branch at One Canada Square, London E14 5AL, England. The information contained in this brochure is for use by wholesale clients only and is not to be relied upon by retail clients. Not all products and services are offered at all locations.

This brochure, which may be considered advertising, is for general information and reference purposes only and is not intended to provide legal, tax, accounting, investment, financial or other professional advice on any matter, and is not to be used as such. BNY Mellon does not warrant or guarantee the accuracy or completeness of, nor undertake to update or amend the information or data contained herein. We expressly disclaim any liability whatsoever for any loss howsoever arising from or in reliance upon any of this information or data.

We wish to inform you that whilst The Bank of New York Mellon ("BNY Mellon") is authorised to provide financial services in Australia, it is exempt from the requirement to hold, and does not hold, an Australian financial services licence as issued by the Australian Securities and Investments Commission under the Corporations Act 2001 (Cth) in respect of the financial services provided by it to persons in Australia.

BNY Mellon is regulated by the New York State Department of Financial Services and the US Federal Reserve under Chapter 2 of the Consolidated Laws, The Banking Law enacted April 16, 1914 in the State of New York, which differs from Australian laws.

If this material is distributed in, or from, the Dubai International Financial Centre ("DIFC"), it is communicated by The Bank of New York Mellon, DIFC Branch, regulated by the DFSA and located at DIFC, The Exchange Building 5 North, Level 6, Room 601, P.O. Box 506723, Dubai, UAE, on behalf of The Bank of New York Mellon, which is a wholly-owned subsidiary of The Bank of New York Mellon Corporation. This material is intended for Professional Clients and Market Counterparties only and no other person should act upon it.

The Bank of New York Mellon, Hong Kong Branch (a banking corporation organized and existing under the laws of the State of New York with limited liability) is subject to regulation by the Hong Kong Monetary Authority and the Securities & Futures Commission of Hong Kong.

Trademarks and logos belong to their respective owners.

© 2022 The Bank of New York Mellon Corporation. All rights reserved.

GMI\_TS\_266\_6468\_BRO\_ISO Quick Guides for SWIFT MyStandards\_0322